



...











 b) Use Moment distribution method to analyze the frame loaded as shown below. Also draw BMD. [10]



4. Analyse the frame given below using stiffness matrix method. [12]



 a) Draw influence line diagram for bending moment at point D. find values at interval 2.5 m in span AB and at 5 m interval on span BC.



b) Find the collapse load of the following frame.



[10]

[6]

| TRIBHUVAN UNIVERSITY | Exam. | | Regular | |
|--|-------------|-------|------------|--------|
| INSTITUTE OF ENGINEERING Examination Control Division | Level | BE | Full Marks | 80 |
| | Programme | BCE | Pass Marks | 32 |
| 2076 Chaitra | Year / Part | III/I | Time | 3 hrs. |

53

| Subject | : - Theory | ofStructures | IT | (CE 601 |
|-----------|------------|---------------|----|-----------|
| Nevertere | · INCOLY | UI DULLCUITES | 11 | 11.1.0011 |

✓ Candidates are required to give their answers in their own words as far as practicable.

✓ Attempt <u>All</u> questions.

The figures in the margin indicate Full Marks.

✓ Assume suitable data if necessary.

1. a) Explain theorems on displacement with suitable illustration.

b) Find the reaction at support 'C' using Castigliano's theorem.



c) In the given beam support 'B' is settled down by '∆' units without rotation. Determine reactions at the supports.



 a) Determine reactions at hinged support using Force method when support D settles vertically downward by 200/EI. Take EI to be constant.



[6]

[4]

[6]



b) Find the member forces of given loaded truss for given external loadings and due to rise in temperature of all diagonal members by 20°C. Take AE = 5000KN for all members and coefficient of thermal expansion as 2.06 × 10⁻⁶/°C. Additionally, vertical members are 5mm too long.



3. Draw BMD of the given frame using Stiffness matrix method.



54

4. a) Derive expressions for Slope deflection equations for continuous beams. b) Draw BMD of the given frame using moment distribution method.



a) Draw ILD for reaction moment at fixed support of the propped cantilever beam of span 10m. Take ordinate interval as 2m.

b) Find the plastic moment capacity of the frame shown in figure below.

[6] [10]



[12]

[4]

[12]





| TRIBHUVAN UNIVERSITY | Exām. | Re | gular / Back | |
|-------------------------------------|-------------|---------|--------------|--------|
| INSTITUTE OF ENGINEERING | Level | BE | Full Marks | 80 |
| Examination Control Division | Programme | BCE · | Pass Marks | -32 |
| 2075 Chaitra | Year / Part | III / I | Time | 3 hrs. |

Subject: - Theory of Structure II (CE.601)

✓ Candidates are required to give their answers in their own words as far as practicable.

✓ Attempt <u>All</u> questions.

The figures in the margin indicate Full Marks.

✓ Assume suitable data if necessary.

1. a) Define degree of static and kinematic indeterminacies and give suitable examples related to pin jointed, rigid jointed and hybrid structures to explain the concept.





2. a) Determine end moments in a fixed beam of span L when left fixed support rotates clockwise by θ_A radian. Take EI as constant.

b) Compute the final end moments for the following loaded frame using stiffness matrix method.



 a) Explain with a neat sketch the concept of distribution and carry over factors in moment distribution method and give example. [6]

.

[6]

[10]





| 03 TRIBHUVAN UNIVERSITY | Exam. | AND ALL AND A | Back Solution | nige lie te. |
|-------------------------------------|-------------|---------------|---------------|--------------|
| INSTITUTE OF ENGINEERING | Level | BE | Full Marks | 80 |
| Examination Control Division | Programme | BCE | Pass Marks | 32 |
| 2075 Ashwin | Year / Part | III / I | Time | 3 hrs. |

Subject: - Theory of Structures II (CE601)

✓ Candidates are required to give their answers in their own words as far as practicable.

✓ Attempt <u>All</u> questions.

✓ The figures in the margin indicate Full Marks.

✓ Assume suitable data if necessary.

- a) What is structural idealization? Explain the steps involve during identification and formulation of problems in theory of structure. [3+3]
 - b) Determine the horizontal and vertical reaction at hinged support and also draw BMD using Force method. [10]



- 2. a) "Displacement method is unique in comparison to force method". Justify the statement giving suitable example.
 - b) Determine reaction at support B of the beam shown in figure below by castigliano's method.



- c) A portal frame of span 6m and height 5m is hinged supported at both ends. The beam of the frame carries a uniformly distributed gravity load of intensity 50 kN/m. Use force method to solve the frame considering the flexural stiffness EI to be constant. Determine the reactions at both supports.
- 3. a) Determine the forces in all members of the truss shown below, using force method. Take $EA = 10^5 kN$.



[6]

[4]

[6]

[8]

b) Determine the collapse load Wc for the rectangular portal frame shown in figure below.



4. a) Draw ILD for S.F. at point C of the propped cantilever beam shown in figure below.



b) Analysis the continuous beam loaded as shown in figure below using slope deflection method considering settlement of support C by 4mm downward. Take $EI = 1 \times 10^9 \text{ t mm}^2$. [10]



5. a) Generate stiffness matrix for the frame shown and determine the end reactions at the support.



b) Analyse the truss by displacement method. Take $E = 2 \times 10^5$ MPa, A = 8 cm²

[8]



[6]



TRIBHUVAN UNIVERSITY 01 INSTITUTE OF ENGINEERING **Examination Control Division** 2074 Chaitra

| Exam. | and the second second | Regular | |
|-------------|-----------------------|------------|--------|
| Level | BE | Full Marks | 80 |
| Programme | BCE | Pass Marks | 32 |
| Year / Part | III / I | Time | 3 hrs. |

Subject: - Theory of Structures II (CE601)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt All questions.
- ✓ The figures in the margin indicate <u>Full Marks</u>.
- ✓ Assume suitable data if necessary.
- 1. a) Define degree of static and kinematic indeterminacies. Give examples for each.
 - b) Analyze the structure given below using Force method. Draw Shear force and [10] Bending Moment diagrams.



- 2. a) Derive the three moment equation and use it to solve single span fixed beam with uniform distributed load throughout the span.
 - b) Generate stiffness matrix for the frame shown in below figure and determine the end moments and horizontal reactions at supports due to the load given. [10]



3. a) Determine forces in all members of the truss shown in figure below using force [10] method. AE for all members is constant.



[6]

[6]

b) Analyze the continuous beam shown in figure below by slope deflection method. Given $I = 4*10^7 \text{ mm}^4$, and $E = 200 \text{ kN/mm}^2$ Draw Bending Moment diagram.



- 4. a) Explain with example how bending moment diagram is drawn for a statically indeterminate portal frame which undergoes settlement of one support.
 - b) Analyze the truss shown in figure below by the stiffness matrix method and find the vertical and horizontal displacement at node A.



5. a) Draw the influence line for bending moment at Section 5 of a two span continuous beam as shown in figure below. Given ordinate at 2m interval. [10]



b) Determine collapse load for the following beam.



c) Calculate the reaction at the prop of a propped cantilever with uniform distributed load throughout the span using Castigliano's theorem.

[4]

[4]

[8]

[4]

[8]

| 01 | TRIBHUVAN UNIVERSITY | |
|-------|----------------------|------|
| INS | TITUTE OF ENGINEERIN | G |
| Exami | nation Control Divi | sion |
| 1 | 2074 Ashwin | |

| Exam. | and the first of | Back | |
|-------------|------------------|------------|--------|
| Level | BE | Full Marks | 80 |
| Programme | BCE | Pass Marks | 32 |
| Year / Part | III / I | Time | 3 hrs. |

Subject: - Theory of Structure II (CE601)

✓ Candidates are required to give their answers in their own words as far as practicable.

- ✓ Attempt All questions.
- ✓ The figures in the margin indicate *Full Marks*.
- ✓ Assume suitable data if necessary.
- 1. a) Describe the degree of static indeterminacy and the degree of kinematic indeterminacy of a structural system with suitable expressions and examples.
 - b) Determine the moment at the fixed support of the following loaded beam using Castigliano's theorem. Take EI constant.



c) Enuciate Mueller-Breslau principle of influence line and prove it with an example of a continuous beam.

2. a) Explain the principle of moment distribution method with a simple example.

- b) A portal frame of span 4 m and height 4 m is fixed at both supports. The beam of the frame carries a uniform distributed gravity load of intensity 30 KN/m. Use Force method to solve the frame considering the cross-sectional stiffness (EI) to be constant. Draw bending moment, shear force and normal thrust diagrams for the frame.
- a) Analyse the continuous beam loaded as shown in figure below and draw the bending moment diagrams using slope-deflection method. Support B sinks by 19 mm. [12]



Take $EI = 10,000 \text{ KN-m}^2$

E 3

b) Define plastic hinge. Also compare plastic and elastic hinges of a structural system.

[4]

[5]

[6]

[5]

[6]

- 4. a) Define the term left and right focal point ratios. Also write their expressions.
 - b) Analyse the truss shown in figure below using "Force Method". Take the crosssectional stiffness EA of the members to be constant. [12]



5. a) Generate stiffness matrix the frame loaded as shown in figure below. Also determine the end moments considering stiffness equations of each member. [10]



b) Determine the collapse load, W_p, for the rectangular portal frame loaded as shown in figure below.



[4]

[6]

01 TRIBHUVAN UNIVERSITY INSTITUTE OF ENGINEERING Examination Control Division 2073 Shrawan

| Exam. | New Back (2066 & Later Batch | | | |
|-------------|------------------------------|------------|--------|--|
| Level | BE | Full Marks | 80 | |
| Programme | BCE | Pass Marks | 32 | |
| Year / Part | III / I | Time | 3 hrs. | |

Subject: - Theory of Structure II (CE601)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt <u>All</u> questions.
- ✓ The figures in the margin indicate *Full Marks*.
- ✓ Assume suitable data if necessary.
- 1. a) Draw influence line diagram for moment at section x-x of the continuous beam shown in figure below. Find the ordinates at 2 m intervals.



 b) Determine slope at A and deflections at D of the beam shown in figure below using castigliano's theorem. [10]



- 2. a) Define and explain the following terms:
 - i) Primary structure
 - ii) Redundant force
 - iii) Flexibility coefficient
 - iv) Stiffness coefficient
 - v) Kinematic indeterminacy
 - b) Determine the forces in all members of the truss shown in figure below using force method. [12]



AE is constant for all members

[5]

[5]

3. a) Find the collapse load for portal frame shown in figure below.

1



b) Derive the expression of three moment theorem for continuous beam and explain its physical meaning.

4. a) Using flexibility matrix method, determine the reactions at support D of the frame loaded as shown in figure below. Also draw SFD and BMD. Take EI = constant.



b) Analyse the continuous beam shown in figure below using slope deflection method. [10]



5. a) Derive the slope deflection equations.

[5]

[10]

b) Using stiffness matrix method, draw bending moment diagram for the frame shown in figure below. Take constant EI.



[10]

[6]

[7]

01 TRIBHUVAN UNIVERSITY INSTITUTE OF ENGINEERING Examination Control Division 2072 Chaitra

| Exam. | | Regular | |
|-------------|---------|------------|--------|
| Level | BE | Full Marks | 80 |
| Programme | BCE | Pass Marks | 32 |
| Year / Part | III / I | Time | 3 hrs. |

Subject: - Theory of Structure II (CE601)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt <u>All</u> questions.
- ✓ The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.
- 1. a) Draw influence diagram for vertical reaction at fixed support of a propped cantilever beam. Plot ordinates at 0.25 times span length.
 - b) Using Castigliano's theorem, find the deflection at point B of the beam shown in figure below. Take constant EI through the length.



2. a) State and proof Maxwell's Reciprocal theorem.

 b) Determine the bar forces and reactions that develop in the statically inderminate truss shown in figure below. [12]



-Cross sectional Area: Member BD = 20 cm^2 Other members = 15 cm^2 -Young's modulus = $240 \times 10^6 \text{ KN/m}^2$

- 3. a) Define plastic moment and shape factor.
 - b) Determine the reactions at support E and A and draw bending moment diagram of the frame shown in figure below by using flexibility matrix method (force method)



[13]

[3]

[4]

[4]

[12]

4. a) A propped cantilever beam of uniform Mp is loaded as shown in the figure below. Find the collapse load.



b) Analyse the frame shown in figure below by using stiffness matrix method and draw bending moment diagram.



- 5. a) Define plastic hinge and explain how its length is determined.
 - b) Analysis the beam loaded shown in the figure below by slope deflection method. Also draw bending moment diagram (BMD) 30 KN [12]



[4]

[12]

[4] .

| 01 TRIBHUVAN UNIVERSITY | Exam. | New Back (2 | 066 & Later | Batch) |
|-------------------------------------|--------------|-------------|-------------------|--------|
| INSTITUTE OF ENGINEERING | Level | BE | Full Marks | 80 |
| Examination Control Division | Programme | BCE | Pass Marks | 32 |
| 2072 Kartik | ·Year / Part | Ш/І | Time | 3 hrs. |

Subject: - Theory of Structure II (CE601)

- Candidates are required to give their answers in their own words as far as practicable.
- Attempt All questions.
- ✓ The figures in the margin indicate *Full Marks*.
- Assume suitable data if necessary.

1. a) Draw influence line diagram for shear at the section x-x for the two-span continuous beam shown in the figure below. Draw the ordinate at 2 m interval.



[6]

[10]

[10]

b) A prismatic continuous beam ABCD is fixed at A and simply supported at B, C and D. It is subjected to factored loads as shown. Find the collapse mechanisms and draw BMD.



a) Using Castigliano's theorem, determine the moment at the fixed support A of the propped cantilever beam loaded as shown in figure below. [6]



 b) Analyse the frame shown in figure below by using force method and draw bending moment diagram.
 60 KN/m



a) Analyse the frame shown in figure using stiffness matrix method. Consider only flexural deformations.

[10]

[6]

[7]

[7]

[2] [15]

3

4.



b) List the differences between force and displacement methods. Draw a neat sketch of a system and explain.

a) Determine the support moments and draw bending moment diagram of the continuous beam shown in figure below by using three moment equation.



c) Determine the forces in all members of the truss by using force method. AE is constant for all members.



- b) Write down the boundary conditions for a single span beam fixed at both ends.
- 5. Analyse the frame shown in figure below by using moment distribution method.



 A continuous beam is shown in figure support 'B' sinks by 10mm down and 'C' rises by 20 mm up during loads. Analyse the given beam using slope deflection method and also draw bending moment diagram and show deflected shape. [15]

 $E = 200 * 10^6 KN / m^2$ and $I = 80 * 10^{-6} m^4$ 12 KN 10 KN 5 KN/m 15E 2EI EI 172 3m 4m

01 TRIBHUVAN UNIVERSITY INSTITUTE OF ENGINEERING Examination Control Division 2071 Chaitra

| Exam. | Regular | | | |
|-------------|----------|------------|--------|--|
| Level | BE | Full Marks | 80 | |
| Programme | BCE | Pass Marks | 32 | |
| Year / Part | III / II | Time | 3 hrs. | |

[6]

[10]

Subject: - Theory of Structure II (CE601)

- \checkmark Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt <u>All</u> questions.
- ✓ The figures in the margin indicate <u>Full Marks</u>.
- ✓ Assume suitable data if necessary.

1. a) Draw influence line diagram for moment at support 2 of the continuous beam shown in figure below by using focal point method. Find ordinates at 4 m interval, in span 1-2 and at 2m interval on span 2-3



b) Find the collapse load for portal frame shown in figure below.



2. a) Determine the moment at fixed support of the propped cantilever beam using Castigliano's method. [6]



b) Generate flexibility matrix to determine the reactions at support D for the frame loaded shown in the figure below. Also determine the reactions at support D and draw bending moment diagram. Show all the steps.



3. a) Analyse the frame shown in figure below by using stiffness matrix method and draw bending moment diagram. [10]



- b) List the properties of stiffness and flexibility matrices for a given system. Draw a neat sketch of a system and explain. [6]
- 4. a) Using the consistent deformation method analyse the frame shown in figure and draw bending moment, shear force and normal thrust diagram. [15]



-b) Draw a propped cantilever and write down its boundary conditions.

[2]

| 01 | TRIBHUVAN UNIVERSITY |
|------|--------------------------|
| INS | ÍITUTE OF ENGINEERING |
| Exam | ination Control Division |
| | 2071 Shawan |

| Exam. | New Back (2066 & Eater Batch) | | | | | | | |
|-------------|-------------------------------|------------|--------|--|--|--|--|--|
| Level | BE | Full Marks | 80 | | | | | |
| Programme | BCE | Pass Marks | 32 | | | | | |
| Year / Part | III / I | Time | 3 hrs. | | | | | |

Subject: - Theory of Structure II (CE601)

- ✓ Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt <u>All</u> questions.
- The figures in the margin indicate <u>Full Marks</u>.
- Assume suitable data if necessary.
- 1. a) Obtain the degree of static and kinematic indeterminacies for the given structures.

[3+2]



b) Determine reaction at B of the propped cantilever beam shown in figure below using Castigliano's theorem. Also draw bending moment diagram.



a) Explain why flexibility method is called a Force Method. using Force method determine the reactions in the continuous beam shown in figure below, if support B settles 18 mm and support C settles 12 mm. Given EI is constant. E = 232 KN/mm², and I = 112.5×10⁶mm⁴.



b) Explain the physical meaning of compatibility condition and derive the equation for it. A portal frame with hinged supports is subjected to a temperature variation as shown in figure below. Determine flexibility coefficients and calculate redundant force with the help of compatibility equation. Take $\alpha = 11 \times 10^{-6}$ /°C, $E = 5000 \sqrt{f_{ck}}$, $f_{ck} = 20$ MPa and constant flexural rigidity.





[10]



[15]

3. a) Generate stiffness matrix for the frame given below. Use the stiffness matrix generated to draw bending moment diagram. Take EI as constant for all members.



b) Analyse the frame shown in figure below by using moment distribution method. Draw bending moment diagram.

50 KN/m

m.

15 KN

1 m

4 m I

->

- 4. a) Explain influence line diagram as system specific diagram. Derive the expression of recurrent formula for focal point ratio considering two consecutive spans for loading on right spans.
 - b) For the given portal frame with same plastic moment capacity Mp for all members calculate the value of P at collapse.



[5]

[10]

[10]

[15]

05 TRIBHUVAN UNIVERSITY INSTITUTE OF ENGINEERING Examination Control Division 2070 Chaitra

| Exam. | Old Back (2065 & Earlier Batch) | | | | | | | |
|-------------|---------------------------------|------------|--------|--|--|--|--|--|
| Level | BE | Full Marks | 80 | | | | | |
| Programme | BCE | Pass Marks | 32 | | | | | |
| Year / Part | III / I | Time | 3 hrs. | | | | | |

Subject: - Theory of Structure II (EG622CE)

✓ Candidates are required to give their answers in their own words as far as practicable.

✓ Attempt any *Four* questions.

✓ The figures in the margin indicate <u>Full Marks</u>.

✓ Assume suitable data if necessary.

1. a) Determine degrees of static and kinetic in derminacies for the frame shown below.



- b) Find the reaction at the propped end of a propped cantilever beam of span L and loaded with uniformly distributed load w per unit length over the whole span by using castigliano's theorem.
- c) Compute the reactions and draw shear force and bending moment diagram for the frame shown in figure below. Use consistent deformation method.



- 2. a) Explain compatibility conditions. Also describe Maxwell's reciprocal theorem.
 - b) In two hinged parabolic arch shown below, find the values of bending moment normal thrust and radial shear at section D due to the given loading and due to yielding of support B by 10 mm. Take $\text{EIc} = 100 \times 10^6 \text{ KNm}^2$. I = I_c sec θ . Also draw bending moment diagram.



[2+2]

[16]

[6]

[6]

[8]

- 3. a) Define the terms flexibility and stiffness.
 - b) Analyse the continuous beam shown in figure below by slope deflection method. Support B sinks by 7.5 mm. Support A rotates by 5° anticlockwise $E = 5 \times 10^5 \text{ MPa}$, $I = 3 \times 10^7 \text{ mm}^4$.



- 4. a) Define carry over factor and distribution factor.
 - b) Analyse the frame shown in figure below using moment distribution method. Also draw shear force, axial force and bending moment diagram. [



5. a) Define Muller-Breslau principle. Draw influence line diagram for reaction at C. Find ordinates at 2 m interval. [2+8]



b) Define the following terms:

(i) Shape factor (ii) Load factor (iii) Plastic hinge

c) Determine the collapse load for a propped cantilever beam shown below. Plastic moment capacity is M_P.



[2+2]

[16]

[4]

[16]

[4]

| 01 TRIBHUVAN UNIVERSITY | Exam. | | Regular | |
|------------------------------|-------------|---------|------------|--------|
| INSTITUTE OF ENGINEERING | Level | BE | Full Marks | 80 |
| Examination Control Division | Programme | BCE | Pass Marks | 32 |
| 2070 Chaitra | Year / Part | III / 1 | Time | 3 hrs. |

Subject: - Theory of Structure II (CE601)

- Candidates are required to give their answers in their own words as far as practicable.
- Attempt All questions. √
- ✓ The figures in the margin indicate Full Marks.
- Assume suitable data if necessary. ✓
- 1. a) Describe different types of indeterminacies of the structural system and their physical meanings.
 - b) Use castigliano's theorem to determine forces induced in each members of the square truss loaded as shown below.



2. a) Draw shear force and bending moment diagrams for the frame given below. Use force [15] method.



b) Determine the horizontal reaction in the two hinged parabolic arch shown figure [10] below. Also determine the bending moment at C. ($I = I_c Sec\theta$)



[5]

3. a) Describe with example the principle of moment distribution. For the frame shown in figure below generate stiffness matrix that operates on displacements u₁, v₁, θ₁and θ₂. Both members are slender and have the same E, I, A and L. Express matrix coefficients in terms of L, a = AE/L and b = EI/L³



b) A jib-crane is carrying vertical load of 10KN at A as shown in figure below. Determine by matrix displacement method, the displacement of joint A and hence calculate the forces in members AB and AC. Take cross-sectional area of members AB and AC as 10000 mm^2 and 20000 mm^2 respectively and $E = 200 \text{ KN/mm}^2$.

Ĭ



4. a) Draw influence line diagram for the shear at section 2-2 of the propped cantilever beam shown in figure below. Find the ordinates at 2 m interval.



b) Find the plastic moment capacity of the frame shown figure below during collapse. [10]

 $20 \text{ KN} \xrightarrow{B} 2 \text{ Mp C D} 2 \text{ m}$ $3 \text{ Mp} \xrightarrow{E} 40 \text{ KN}$ 4 m

[10]

[5]

| - in | | | | | |
|--------------|--|--------------------------------|-------------|----------------------|--------------|
| EX | amination Control Division | Control Division Programme BCE | | | |
| | 2070 Ashad | Year / Part | 111 / 1 | Time | 3 hrs. |
| | <i>Subject</i> : - Theory | of Structures | II (CE601 |) | |
| \checkmark | Candidates are required to give their an | swers in their o | wn words a | s far as practicable | |
| \checkmark | Attempt <u>All</u> questions. | | | • | |
| \checkmark | The figures in the margin indicate Full | <u>Marks</u> . | | , | |
| \checkmark | Assume suitable data if necessary. | | | | |
| | | | | | |
| 1 | | 6.1. | | | •. • • |
| 1. | a) Define degree of static and deg examples. | ree of kinema | tic indeter | minacies with su | itable [4 |



c) Determine the moment at the fixed end of a propped cantilever beam shown in figure below using Castigliane's theorem.

[5]

[4]

[6]

[10]



- 2. a) Define force method and primary structure.
 - b) Generate flexibility matrix for the coordinates shown in figure below.



c) Determine horizontal and vertical reactions at support D of the frame shown in figure below using force method.



OR

Analyse the continuous beam shown in figure below by using three moment theorem.



Draw shear force and bending moment diagram.

d) Determine the force in member BF of the redundant truss shown in figure below. Cross section areas of each member in cm^2 are given in figure within brackets.



OR

Draw bending moment (BM) diagram for the two hinged parabolic arch shown $I = I_C \operatorname{Sec}\theta$. Calculate the BM value at an interval of 10 m.



3. a) Generate stiffness matrix for the frame shown in figure below.



b) Analyse the continuous beam and draw bending moment diagram which is loaded as shown in figure below. Use stiffness matrix method.





[5]

[10]

[5]

c) Use moment distribution method to analyse the frame loaded as shown in figure below. Also draw bending moment diagram.



4. Define focal point ratio and derive expression to determine left focal point ratio.

•

OR

Draw influence line diagram for reaction at support B of the propped cantilever beam shown in figure below. Determine ordinates at 3 m interval.



5 Determine the collapse load for the two span beam shown in figure below if the plastic moment capacity is MP.



[10]

[7]

[8]

| R: TRIBHUVAN UNIVERSITY | Exam. | New Back (| 2066 & Later | Batch) | • |
|----------------------------|-----------------|-----------------|------------------|--------|---|
| INSTITUTE OF ENGINEERING | Level | BE | Full Marks | 80 | |
| mination Control Division. | Programme | BCE | Pass Marks | 32 | |
| 2069 Ashad | Year / Part | III / I | Time | 3 hrs. | • |
| Subject: - Theory | of Structure | 11 (CE 601) | | | |
| | wers in their o | wn words as fai | r as practicable | | |

a) Explain static and kinematic indeterminacies of structures. Determine the degrees of static and kinematic indeterminacy of the structure shown in figure below. (Take all members are inextensible).



_c) Define flexibility and stiffness. What are the properties of flexibility matrix?

a) Use force method(flexibility matrix) to find the reactions at supports B and C of the beam shown in figure below and also draw shear force and bending moment diagrams.
 200KN 100KN



Tb) A two hinged symmetrical parabolic arch of secant variation cross section having span 50m and rise 8m is loaded with a uniformly distributed load of 12KN/m extending from the left hand support to the centre of the arch as shown in figure below. Determine the horizontal reaction at the support.



c) Generate flexibility matrix for the coordinates shown in figure below and use this to determine the reactions at support D. Take EI is constant for all members.

[5]

[10]

[4]

[2+3]



73. a) Generate stiffness matrix for the frame shown in figure below with respect to coordinates 1, 2 and 3 and use it to analyse the frame if the forces 5KNm and 4KN are acting at coordinates 1 and 3 respectively in addition to the external loads as shown in figure below. Take EI is constant for all members.





Analyse the continuous beam shown in figure below by slope deflection method. Also draw shear force and bending moment diagram.



b) Analyse the frame loaded as shown in figure below using moment distribution method and draw bending moment diagram. Take EI is constant.



c) Use displacement method (Stiffness matrix) to find forces in members of the truss shown in figure below. Take axial stiffness for each member to be 400KNcm⁻¹.

69 A TOS-II [10]

[5]

[10]



- 4. a) Define Mueller Breslau principle.
- b) Draw influence line diagram for the reaction at B of the propped cantilever beam shown in figure below. Find the ordinates at 2m interval.



- 5. a) Define load factor, shape factor and plastic hinge.
 - b) For the given continuous beam with the same plastic moment of resistance M_P for all the members. Calculate the value of P at collapse.



Calculate the collapse moment after establishing possible failure mechanisms for the portal frame shown in figure below. Use load factor 1.75.



[8]

[2]

[5]

[3]

[5]

| 01 TRIBHUVAN UNIVERSITY | Exam. | | Regular | |
|-------------------------------------|-------------|-----|------------|--------|
| INSTITUTE OF ENGINEERING | Level | BE | Full Marks | 80 |
| Examination Control Division | Programme | BCE | Pass Marks | 32 |
| 2069 Chaitra | Year / Part | Ш/1 | Time | 3 hrs. |

| Subject: - Theory of Structure |
|--------------------------------|
|--------------------------------|

 \checkmark Candidates are required to give their answers in their own words as far as practicable.

✓ Attempt <u>All</u> questions.

✓ The figures in the margin indicate Full Marks.

✓ Assume suitable data if necessary.

1. a) What is structural idealization? Explain necessary and sufficient condition for stability of a truss.

b) Use Castigliano's theorem to find moment at point C of the propped cantilever beam loaded as shown in the figure below. Take,EI to be constant.



- 2. a) Derive expressions for support moments of a single span fixed beam when one end of the beam rotates by an angle θ . Also determine the expressions for support moments of the same beam when one end of the beam settles down by Δ . Assume EI as the cross sectional stiffness and L the span.
 - b) Find out member forces in the truss shown in figure below using force method. The axial rigidity of all vertical and horizontal members in EA and that for all inclined member is 2EA.



[7]

[18]

[5]

[10]-

- 3. a) Derive three moment theorem for a continuous beam and explain its physical meaning.
 - b) Determine element stiffness matrices, deformations at joints and member forces. Also draw bending moment diagram, using stiffness matrix method.



- 4. Define and explain what is neutral point in an unloaded span of a continuous beam. Derive recurrent formula for its determination.
- 5. a) Enunciate the two basic theorems on methods of limit in plastic analysis.
 - b) A prismatic continuous beam ABCD is fixed at A and simply supported at B, C and D. It is subjected to factored loads as shown in figure below. Find collapse mechanism and draw BM diagram.



[7]

[18]

[5] [4]

[6]

01 TRIBHUVAN UNIVERSITY INSTITUTE OF ENGINEERING Examination Control Division 2068 Chaitra

| Exam. | | Regular | |
|-------------|---------|------------|--------|
| Level | BE | Full Marks | 80 |
| Programme | BCE | Pass Marks | 32 |
| Year / Part | III / I | Time | 3 hrs. |

Subject: - Theory of Structure II (CE 601)

- \checkmark Candidates are required to give their answers in their own words as far as practicable.
- Attempt any *Five* questions.
- The figures in the margin indicate *Full Marks*.
- ✓ Assume suitable data if necessary.
- 1. a) Explain with a simple example the steps to follow in solving a frame using displacement method.
 - b) Use force method (flexibility matrix) to solve the truss as shown in figure below.



Analyse the beam shown in figure below by slope deflection method. Draw BM diagram considering given external loading and rotation of support D by (1/10) clockwise, support C settles down by 4mm.



3. a) What is Muceller Breslau principle and how it is used to determine the shape of an influence line diagram of a structural quantity in a statically indeterminate beam? Shown in a simple example.

[8]

[8]

[8]

b) For the given portal frame with same plastic moment of resistance M_P for all the members, calculate the value of p at collapse.

[8]

[5]

[3]

[8]



4. a) For the beam as shown, determine the slope at support B. Use Castiglano's second theorem. Take EI = constant.



b) Determine the Static indeterminacy (eternal/internal) and kinematiz indeterminacy for the structure as shown.



c) Using Castigliano's second theorem, determine the vertical deflection at the 50 KN load in the beam shown in figure below.



5. a) Enunciate and explain with its uses the two basic theorems on methods of limit analysis in plastic analysis for bending.[8]

b) Use force method (flexibility matrix) to solve the frame as shown in figure below.



6. a) Determine Stiffness matrix for the frame shown in figure below.



b) Draw ILD at 1m interval for support reaction at fixed end of propped cantilever beam of span 5m. Take EI is constant.

[8]

[8]

[8]

06 TRIBHUVAN UNIVERSITY INSTITUTE OF ENGINEERING Examination Control Division 2068 Baishakh

| Exam. | Regular / Back | | | | | |
|-------------|----------------|------------|--------|--|--|--|
| Level | BE | Full Marks | 80 | | | |
| Programme | BCE | Pass Marks | 32 | | | |
| Year / Part | III / I | Time | 3 hrs. | | | |

Subject: - Theory of Structures II

- \checkmark Candidates are required to give their answers in their own words as far as practicable.
- ✓ Attempt any *Four* questions.
- The figures in the margin indicate Full Marks.
- ✓ Assume suitable data if necessary.
- 1. a) Determine the external/internal static indeterminacy and kinematic indeterminacy of the structures shown in the figure below. Are they geometrically stable? [10]



b) Find support reactions of the given loaded beam using Castigliano's theorem.

[10]



Compute the bar forces in all members due to: (i) Given load and (ii) temperature rise by 30°C in the upper chord. Take E = 2 × 10⁵ N/mm², ∝ = 10.8 ×10⁻⁶/°C. Take area of all members to be 30cm².



3. a) Draw influence line diagram for bending moment at fixed support of the beam and obtain ordinates at each 1.25m interval. [10]



b) Using slope and deflection method, find support moments and draw bending moment diagram for the given beam.



Support A sinks by 1cm Support C sinks by 1.5cm

Take, $E = 2 \times 10^5$ MPa, I = 10,000 cm⁴.

4. Draw axial force, shear force and bending moment diagram for the given loaded frame. Use moment distribution method.



5. a) Define shape factor and write properties of plastic hinge. Find shape factor of the given T - beam section. [10]



b) Using stiffness matrix method, find support reactions and draw bending moment diagram for the given loaded continuous beam.



[10]

[20]



6m

Z, [5] What is the consistent deformation method? Derive the formula. 3. a,) b). Use slope deflection method to draw bending moment and shear force diagrams of the [15] beam. 100KN. 20KNm⁻¹ 30KNm 3I 31 2I6m 6m 6m 10m a Explain about cases of symmetry and anti symmetry. [5] b) Analyze the frame shown in figure using stiffness method (displacement method). Consider only flenural deformations and take EI as constant throughout. [15] 10KN B 0KN-m 5m EI = constant 3m Explain Muller Breslau principle for influence line diagram and show in an example 5. a) how it is applied. [5] b) Analyze the frames shown in figure by moment distribution method. Also draw AFD, SFD, and BMD for the structure. [15] 60KN 2m 15KN/m В C 4EI

2EI

7m

DETINES

6m

6m

2EI

| 06 TRIBHUVAN UNIVERSITY | Exam. | | Back | |
|-------------------------------------|-------------|-----|-------------------|--------|
| INSTITUTE OF ENGINEERING | Level | BE | Full Marks | 80 |
| Examination Control Division | Programme | BCE | Pass Marks | 32 |
| 2066 Jestha | Year / Part | Ш/I | Time | 3 hrs. |

| 5 | ul | bj | ieci | t: | - [| Γhe | eorv | 7 of | St | ruc | tur | es | ÍI |
|----|----|----|------|----|-----|-----|------|------|---|-----|-----|----|----|
| ÷. | | | | | | | | | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | | | | |

Candidates are required to give their answers in their own words as far as practicable.

✓ Attempt any <u>Four</u> questions.

The figures in the margin indicate <u>Full Marks</u>.

Assume suitable data if necessary.

1. Determine forces in bars BC and BF of the truss shown below, if all inclined members are found to be 2mm too long and all vertical members are subjected to a decrease in temperature of 15°C. Area of cross-section of all members is 40cm².

Take $e = 2 \times 10^5 \text{ N/mm}^2$, $\alpha = 10.8 \times 10^{-6} / ^{\circ}\text{C}$



- 2. A three-spanned continuous beam is fixed at both extreme ends. The left span is of sectional stiffness EI and is loaded with a uniform distributed load of intensity 2 kN m⁻¹. The mid span is of stiffness 2 EI and has a vertical concentrated force of magnitude 5 kN applied at a point 2m from the right end. The right span is of sectional stiffness EI and is centrally loaded with a vertical concentrated force of magnitude 8 kN. The left span is of length 6m and the other two are of 5m. The left middle support settles 2mm down and right middle support is lifted 3mm up. Analyse using slope deflection method and draw bending moment diagram for the beam if all the forces being applied are directed vertically downward. Take EI = 8×10^{11} N-mm².
- 3. A single spanned one storeyed rectangular frame of span 6m is fixed at the bases and has beam of sectional stiffness 4 EI and columns of 2 EI with storey heights 4m. Two
 horizontal concentrated forces of magnitude 25 kN and 50 kN, directed towards right, are acting at the beam column joint and at the middle of the left column respectively on the left side. Use moment distribution method to draw bending moment diagram for the frame.
 - a) A two spanned continuous beam is pinned at the ends. The relative cross-sectional stiffnesses and spans for the left and right beams are 2 EI and 5 EI and 2m and 6m respectively. Draw influence line diagram for the moment at the mid support showing ordinates at every 2m interval.

. . . .

[20]

[20]

[20]

[12]

b) Determine the value of plastic moment capacity Mp for the frame loaded as follows:



5. a) Use Castigliano's theorem and find the moment at the fixed end of the propped cantilever loaded as shown below. EI is constant.



b) Generate stiffness matrix for the frame shown below.

ŕ



[10]

3

06 TRIBHUVAN UNIVERSITY INSTITUTE OF ENGINEERING Examination Control Division 2066 Bhadra

| Exam. | Regular / Back | | | | | | | |
|-------------|----------------|------------|--------|--|--|--|--|--|
| Level | BE | 80 | | | | | | |
| Programme | BCE | Pass Marks | 32 | | | | | |
| Year / Part | III/I | Time | 3 hrs. | | | | | |

Subject: - Theory of Structures II

Candidates are required to give their answers in their own words as far as practicable.

Attempt any Four questions.

The figures in the margin indicate <u>Full Marks</u>.

Assume suitable data if necessary.

a Compute Static Indeterminacy, Kinematic Indeterminacy and Stability of the structures shown in figure given below.

[10]

[10]

[10]







b) Compute the maximum central vertical deflection for a simply supported beam of span L loaded with a uniformly distributed load of w/unit length, EI is constant. Use Castigliano's theorem.

2. a) Use consistent deformation method to draw bending moment diagram of the chairframe loaded with a couple as shown. Take $E = 2 \times 10^4$ MPa, $\ell = 3$ m, M = 50 kNm and $I = 4.5 \times 10^8$ mm⁴. Also draw shear force and normal thrust diagrams corresponding to the bending moment diagram.



b) A rectangular horizontal truss of span 12m and height 9m is with two diagonals and is supported by two hinges fixed at the base. A horizontal force of magnitude 100 kN is acting toward the truss at the left top joint. The diagonal connecting the loaded joint was manufactured 2cm shorter than the assigned length. Calculate the forces induced in every member assuming Young's modulus and cross-sectional areas of the every member to be 2×10⁵ MPa and 1000mm² respectively.

3. a) Determine the member end moments using slope deflection method and draw BMD and SFD for the beam loaded as shown in figure given below. Support B settles down by 5mm and Support C rotates clockwise by 0.02 radian and EI is 20 t/mm².



b) Draw Influence Line Diagram for Shear Force at A of the propped cantilever beam shown below. Calculate ordinates at 1.0m interval.



4. Analyze the frame loaded as shown in figure given below. Use Moment Distribution Method. Draw BMD and SFD.



- 5. a) A single spanned fixed beam of length 9m has two concentrated forces applied vertically downwards at 3m distance from each ends. The left and right forces are 60kN and 120kN respectively. Calculate the section modulus required to render system into collapse condition, if the yield stress and load factor for the materials used are 250 MPa and 1.15 respectively.
 - b) Analyze the frame given below with inextensible members using stiffness method.



[10]

[10]

[20]

[10]

| 06 TRIBHUVAN UNIVERSITY | Exam. | Regular/Back | | |
|-------------------------------------|-------------|--------------|------------|--------|
| INSTITUTE OF ENGINEERING | Level | BE | Full Marks | 80 |
| Examination Control Division | Programme | BCE | Prys Marks | 32 . |
| 2065 Shrawan | Year / Part | Ш/І | Time | 3 hrs. |
| | • | | | |

n 2

- Subject: Theory of Structures II
- ✓ Candidates are required to give their answers in their own words as far as practicable.

✓ Attempt any **Four** questions.

The figures in the margin indicate <u>Full Marks</u>.

✓ Assume suitable data if necessary.

1. a) Find static and kinematic indeterminacy for the following structures with all extensible members: [3+3]



b) Use slope-direction method to analyze the continuous beam shown in the figure. Draw free body diagram BMD and SFD. The support "a" rotates by 0.001 radian clockwise and support "b" rotates by 0.001 radian anticlockwise. Support "b" and "c" both settle down by 10mm.



2. Use consistent deformation method to analyze the bent frame shown in the figure below. Draw Axial Force Diagram, Shear Force Diagram, and Bending Moment Diagram for the shown system, if support A settles down by 10mm; shifts towards left by 10mm and rotates clockwise by 0.002 radians.



[14]-

[20]

3. Use moment distribution method to analyze the frame shown in the figure. Draw Axial Force Diagram, Shear Force Diagram and Bending Moment Diagram for the system.

[20]

[8]

[12]

[10]



4. a) For the parabolic two hinged arch loaded symmetrically with concentrated loads as shown in the figure, determine the horizontal reaction. Use secant variation of moment of inertia.



b) Analyze the bent frame using stiffness method and find member end moments. Members are inextensible.



5. a) Use Muller Breslau Principle and draw influence line diagram with ordinates at 1m interval for the shear force at B, of the beam shown in the figure.



b) List the differences between elastic and plastic analysis. What is meant by Plastic Hinge? [5+5]
